

## PROJECT INFORMATION

\*\*\*ASTERISK COLOR CODE KEY\*\*\*

\* = Required Field \* = Account Preference

## HOMEOWNER INFORMATION

First Name:\*

.....

Last Name:\*

.....

Address:\*

.....

City, State, Zip:\*

.....

Project's Assessor's Parcel #:

.....

## CONTRACTOR INFORMATION

Company Name:\*

.....

Phone:\*

.....

Address (Street, City, State, Zip):\*

.....

License Numbers:\*

.....

## PROJECT MANAGER

First Name:\*

.....

Last Name:\*

.....

Phone:\*

.....

Application Type:\*

Please select the appropriate racking application types.

☐ Tilt-Up ☐ Flush-Mount ☐ Integrated Racking☐ Flat Roof (Use 2b on pages 8 and 9 instead)☐ Ground Mount (Use 2c on pages 10 and 11 instead)Do you require a Bill of Materials in your plan set?\*☐ Yes ☐ NoDo you require Equipment  
Elevation drawing on your plans?\*☐ Yes ☐ No

## AHJ INFORMATION

AHJ Name:\*

.....

Utility Name:\*

.....

Special AHJ/Utility Requirements (If Known)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Snow & Wind Loads (If Known)

Snow Load:

.....

Wind Load:

.....

Project (Site) Photos Checklist:Photos will be used to understand site conditions and project site and are **essential to generate an accurate permit package.**☐ Utility Meter Location (Zoomed out View)\*☐ Main Service Panel Location\*☐ Close-up of Main Service Panel Label\*☐ Close-up of Main Breaker☐ Close-up of Main Breaker Label☐ Sub-Panel Main Breaker (If used)☐ Sub-Panel Location (If used)☐ Subpanel Location (If used)☐ Close-up of Sub-Panel Breaker Label☐ Proposed Inverter Location (Zoomed out View)☐ Array Location(s) (if possible)☐ Entire Roof with Obstructions (If possible)☐ Ground Mount Location (If applicable)☐ Rafter/Truss Size and Spacing  
(Show tape measure in photo if possible)☐ Attic Space - Show existing roof rafter/truss for each  
roof structure (Show tape measure if possible)\*

## ARRAY 1 - PITCHED ROOF APPLICATIONS

### PITCHED ROOF & STRUCTURAL INFO

#### Roof Material:\*

Please select the appropriate roof material from the options below.








<input type="checkbox"/> (Asphalt) shingles	<input type="checkbox"/> Standing Seam Metal
<input type="checkbox"/> Corrugated Metal	<input type="checkbox"/> Clay S-Tile
<input type="checkbox"/> Flat Tile	<input type="checkbox"/> Rubber Membrane
<input type="checkbox"/> Wave Tile	<input type="checkbox"/> Other: _____
<input type="checkbox"/> Wood Shake	

#### Layers of Roof Material

☐ One ☐ Two

#### Structure Type:\*

Please select the appropriate Structure Type from the options below.

<input type="checkbox"/> Truss (Wood) 	<input type="checkbox"/> Knee Wall + Collar Tie 
<input type="checkbox"/> Metal Beam Supported	<input type="checkbox"/> Collar Tie (Wood) 
<input type="checkbox"/> Interior bearing wall (Wood) 	<input type="checkbox"/> Single Span Rafter (Wood) 
<input type="checkbox"/> Purlins 	<input type="checkbox"/> Wood Supported Strut
<input type="checkbox"/> Knee Wall 	<input type="checkbox"/> Steel Frame

#### Rafter Size:\*

☐ 2x4 ☐ 2x6 ☐ 2x8 ☐ 2x10 ☐ Other: \_\_\_\_\_


#### Rafter Spacing:\*

Please select the typical distance between each rafter (in inches):

☐ 12" ☐ 14" ☐ 16" ☐ 24" ☐ 48" ☐ Other: \_\_\_\_\_

#### Roof Structure Measurements:\*

A: \_\_\_\_\_ B: \_\_\_\_\_



### RACKING INFO

#### Attachment Type:\*

☐ Flashed L-Foot ☐ Tile Hook ☐ Standoff  
☐ Integrated into Racking ☐ Standing Seam Clamp  
☐ CorruBracket ☐ Other: \_\_\_\_\_

#### Racking Manufacturer:\*

#### Racking Model:\*

#### Attachment Manufacturer:\*

#### Attachment Model:\*

#### Maximum Rail Span:\*

Please select the default maximum distance between mounting points across the rail layout used for this project.

☐ 16" ☐ 24" ☐ 32" ☐ 48" ☐ 72" ☐ 96" ☐ Other: \_\_\_\_\_

#### Pitch (Degrees):\*

#### Azimuth(s):\*

## ARRAY 2 - PITCHED ROOF APPLICATIONS (Only if roof structure is different)

### PITCHED ROOF & STRUCTURAL INFO

#### Roof Material:\*

Please select the appropriate roof material from the options below.








<input type="checkbox"/> (Asphalt) shingles	<input type="checkbox"/> Standing Seam Metal
<input type="checkbox"/> Corrugated Metal	<input type="checkbox"/> Clay S-Tile
<input type="checkbox"/> Flat Tile	<input type="checkbox"/> Rubber Membrane
<input type="checkbox"/> Wave Tile	<input type="checkbox"/> Other: _____
<input type="checkbox"/> Wood Shake	

#### Layers of Roof Material

☐ One ☐ Two

#### Structure Type:\*

Please select the appropriate Structure Type from the options below.

<input type="checkbox"/> Truss (Wood) 	<input type="checkbox"/> Knee Wall + Collar Tie 
<input type="checkbox"/> Metal Beam Supported	<input type="checkbox"/> Collar Tie (Wood) 
<input type="checkbox"/> Interior bearing wall (Wood) 	<input type="checkbox"/> Single Span Rafter (Wood) 
<input type="checkbox"/> Purlins 	<input type="checkbox"/> Wood Supported Strut
<input type="checkbox"/> Knee Wall 	<input type="checkbox"/> Steel Frame

#### Rafter Size:\*

☐ 2x4 ☐ 2x6 ☐ 2x8 ☐ 2x10 ☐ Other: \_\_\_\_\_


#### Rafter Spacing:\*

Please select the typical distance between each rafter (in inches):

☐ 12" ☐ 14" ☐ 16" ☐ 24" ☐ 48" ☐ Other: \_\_\_\_\_

#### Roof Structure Measurements:\*

A: \_\_\_\_\_ B: \_\_\_\_\_



### RACKING INFO

#### Attachment Type:\*

☐ Flashed L-Foot ☐ Tile Hook ☐ Standoff  
☐ Integrated into Racking ☐ Standing Seam Clamp  
☐ CorruBracket ☐ Other: \_\_\_\_\_

#### Racking Manufacturer:\*

#### Racking Model:

#### Attachment Manufacturer:\*

#### Attachment Model:\*

#### Maximum Rail Span:\*

Please select the default maximum distance between mounting points across the rail layout used for this project.

☐ 16" ☐ 24" ☐ 32" ☐ 48" ☐ 72" ☐ 96" ☐ Other: \_\_\_\_\_

#### Pitch (Degrees):\*

#### Azimuth(s):\*

## ELECTRICAL INFORMATION

### NEW EQUIPMENT INFORMATION

#### Module Manufacturer & Model Number:\*

Module Manufacturer: .....

Model Number: .....

Quantity: .....

#### String/Micro Manufacturer & Model Number:\*

Inverter Manufacturer: .....

Model Number: .....

Quantity: .....

#### Optimizer Manufacturer & Model Number (If Applicable):

Optimizer Manufacturer: .....

Model Number: .....

Quantity: .....

#### Inverter DC Disconnect Options (If Applicable):\*

- ☐ Utilize Integrated DC Disconnect
- ☐ Utilize Standalone DC Disconnect (Rooftop or Ground Array)

#### Standalone DC Disconnect Location (If Used):

1. ☐ Exterior ☐ Interior
2. ☐ House ☐ Garage ☐ Barn ☐ Pole Mounted  
☐ Rooftop ☐ At Ground Array  
☐ Other: .....
3. ☐ North ☐ South ☐ East ☐ West  
☐ NE ☐ NW ☐ SE ☐ SW

#### Inverter Location:\*

Please select intended location of inverter and electrical equipment.

1. ☐ Exterior ☐ Interior
2. ☐ House ☐ Garage ☐ Barn ☐ Pole Mounted  
☐ Other: .....
3. ☐ North ☐ South ☐ East ☐ West  
☐ NE ☐ NW ☐ SE ☐ SW

#### Wire Transition Enclosure:\*

Please select the appropriate wire transition enclosure between modules and inverter.

- ☐ Junction Box ☐ Soladeck ☐ Combiner Box ☐ None

#### Combining AC Circuits:\*

Select how to combine the inverter(s) AC outputs. Multiple inverters or micros only.

- ☐ Soladeck (Rooftop) ☐ (N) AC Panel Board
- ☐ Existing Subpanel

#### Service AC Disconnect:\*

Typically the utility requires a lockable utility disconnect for the AC output in case of an emergency or service.

- ☐ Yes ☐ No

#### Utility Disconnect Location:\*

Please describe the Utility Disconnect location.

1. ☐ Exterior ☐ Interior
2. ☐ House ☐ Garage ☐ Barn ☐ Pole Mounted  
☐ Next to Utility Meter ☐ Other: .....
3. ☐ North ☐ South ☐ East ☐ West  
☐ NE ☐ NW ☐ SE ☐ SW

#### PV Revenue Meter:\*

Is there a PV Revenue Meter? The Production meter measures and tracks the production for the solar array.

- ☐ Yes ☐ No (Net Meter)

## ELECTRICAL INFORMATION (Continued)

### Location of PV Meter:\*

Select the location of the PV meter in reference to the AC disconnect.

- ☐ Between inverter and disconnect  
☐ Between disconnect and point of interconnection (MEP, Tap, Etc.)

## EXISTING EQUIPMENT INFORMATION

### Meter Main Combo?\*

- ☐ Yes ☐ No

### Main Electrical Panel Rating:\*

Write the Bus and main circuit breaker rating.

Bus Rating (amps):

.....

Main Breaker Rating (amps):

.....

Are there spaces available in the panel?

.....

### Main Breaker Location:\*

- ☐ Top-fed ☐ Center-fed ☐ Bottom-fed

### Main Electrical Panel Location:\*

Please select where the Main Electrical Panel is located.

1. ☐ Exterior ☐ Interior
2. ☐ House ☐ Garage ☐ Barn ☐ Pole Mounted  
☐ Other: .....
3. ☐ North ☐ South ☐ East ☐ West  
☐ NE ☐ NW ☐ SE ☐ SW

### (N)ew Main Breaker Derating or Panel Upgrade:

Write the new ratings that the main breaker will be derated to.

Bus Rating (amps):

.....

Main Breaker Rating (amps):

.....

### Interconnection Strategy:\*

Please select the appropriate interconnection strategy from the choices below: Panel upgrades or choose "Backfeed Breaker".

- ☐ Backfeed Breaker ☐ Derate Main Breaker  
☐ Line Side Tap ☐ Load Side Tap

### Interconnection Location\*

Please select the electrical location the tap will occur.

<input type="checkbox"/>	Existing Main Electrical Panel (MEP)	<input type="checkbox"/>	New Tap Box
<input type="checkbox"/>	Existing Meter	<input type="checkbox"/>	Automatic Transfer Switch (ATS)
<input type="checkbox"/>	New Sub-Panel	<input type="checkbox"/>	Existing Sub-Panel
<input type="checkbox"/>	Renewable Meter Adapter (RMA) at Meter	<input type="checkbox"/>	New Main Electrical Panel Upgrade

### (E)xisting Meter Location:\*

1. ☐ Exterior ☐ Interior
2. ☐ MEP Location ☐ Pole Mounted  
☐ Other: .....
3. ☐ North ☐ South ☐ East ☐ West  
☐ NE ☐ NW ☐ SE ☐ SW

### \*Location of the Pole in relation to the house:

\*For pole mounted utility meters and main electrical panels.

Cardinal Direction:

.....

Distance:

.....

### Utility Entrance:\*

- ☐ Overhead ☐ Under Ground

### Existing Electrical Grounding:\*

Current or Original Bond of existing electrical system?  
Please select from the options below.

- ☐ Ground Rod ☐ Ufer ☐ Cold Water Pipe

### Project Notes & Special Requirements:

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

## ELECTRICAL INFORMATION (Continued)

Array		1	2	3	4	5	6
Module Quantity							
Azimuth °							
Pitch or Tilt							
Shading (Optional)							
Mounting Plane # (From Sketch)							
Rafting Span(s) in Feet (list as necessary)							


Inverter Mfr. & Model #	MPPT	# of Strings	Modules/ String	# of Strings	Modules/ String	# of Strings	Modules/ String	# of Strings	Modules/ String	# of Strings	Modules/ String	# of Strings	Modules/ String
	1												
	2												
	1												
	2												
	1												
	2												
	1												
	2												

Please list plan for stringing modules under each array. Indicate if arrays are to be combined on a given string.

**\*Important NOTE:** If the next selection below (String Design) is "Designer's Discretion" then the inverter table above does NOT need to be filled out.

*A rough sketch or drawing of the solar panel layout on the project residence or site including roof measurements where possible and plan for equipment locations from the provided key. This sketch will be used to create the base site plan and array layout.*

- |            |                |            |                       |           |                  |
|------------|----------------|------------|-----------------------|-----------|------------------|
| <b>I</b>   | DC/AC INVERTER | <b>UM</b>  | (E) UTILITY METER     | <b>M1</b> | MODULE #         |
| <b>PNL</b> | AC PANELBOARD  | <b>V</b>   | PV REVENUE METER      | <b>X</b>  | ROOF OBSTRUCTION |
| <b>S</b>   | AC DISCONNECT  | <b>MEP</b> | MAIN ELECTRICAL PANEL |           |                  |
| <b>DSW</b> | DC DISCONNECT  | <b>JB</b>  | JUNCTION BOX          |           |                  |



ARRAY 1 - FLAT ROOF APPLICATIONS (Only if applicable)

FLAT ROOF & STRUCTURAL INFO

**Roof Material:\***

Please select the appropriate roof material from the options below.

- ☐ Rubber Membrane
- ☐ Rolled Asphalt
- ☐ Gravel
- ☐ EDPM
- ☐ Duralast
- ☐ Corrugated Metal Roof

**Layers of Roof Material**

☐ One ☐ Two

**Structure Type:\***

Please select the appropriate Structure Type from the options below.

- ☐ Truss
- ☐ Single Span Rafter
- ☐ Supported by Metal Beams
- ☐ Supported by Wood Beams

**Rafter/Beam Size:\***

☐ 2x4 ☐ 2x6 ☐ 2x8 ☐ 2x10 ☐ Other: \_\_\_\_\_


**Rafter/Beam Spacing:\***

Please select the typical distance between each rafter (in inches):

☐ 12" ☐ 14" ☐ 16" ☐ 24" ☐ 48" ☐ Other: \_\_\_\_\_

**Roof Structure Measurements:\***

A: \_\_\_\_\_



RACKING INFO

**Racking Manufacturer:\***

**Racking Model:\***

**Attachment Manufacturer:\***

**Attachment Model:\***

**Maximum Rail Span:\***

Please select the default maximum distance between mounting points across the rail layout used for this project.

☐ 16" ☐ 24" ☐ 32" ☐ 48" ☐ 72" ☐ 96" ☐ Other: \_\_\_\_\_

**Module Orientation:\***

☐ Portrait ☐ Landscape

**Tilt(s):\***

**Azimuth(s):\***



## ARRAY 2 - FLAT ROOF APPLICATIONS (Only if flat roof structure is different)

### FLAT ROOF & STRUCTURAL INFO

#### Roof Material:\*

Please select the appropriate roof material from the options below.

- ☐ Rubber Membrane
- ☐ Rolled Asphalt
- ☐ Gravel
- ☐ EDPM
- ☐ Duralast
- ☐ Corrugated Metal Roof

#### Layers of Roof Material

☐ One ☐ Two

#### Structure Type:\*

Please select the appropriate Structure Type from the options below.

- ☐ Truss
- ☐ Single Span Rafter
- ☐ Supported by Metal Beams
- ☐ Supported by Wood Beams

#### Rafter/Beam Size:\*

☐ 2x4 ☐ 2x6 ☐ 2x8 ☐ 2x10 ☐ Other: \_\_\_\_\_


#### Rafter /Beam Spacing:\*

Please select the typical distance between each rafter (in inches):

☐ 12" ☐ 14" ☐ 16" ☐ 24" ☐ 48" ☐ Other: \_\_\_\_\_

#### Roof Structure Measurements:\*

A: \_\_\_\_\_



### RACKING INFO

#### Racking Manufacturer:\*

#### Racking Model:\*

#### Attachment Manufacturer:\*

#### Attachment Model:\*

#### Maximum Rail Span:\*

Please select the default maximum distance between mounting points across the rail layout used for this project.

☐ 16" ☐ 24" ☐ 32" ☐ 48" ☐ 72" ☐ 96" ☐ Other: \_\_\_\_\_

#### Module Orientation:\*

☐ Portrait ☐ Landscape

#### Tilt(s):\*

#### Azimuth(s):\*

ARRAY 1 - GROUND MOUNT APPLICATIONS (Only if applicable)

GROUND MOUNT STRUCTURAL INFO

**Ground Mount Racking Manufacturer:\***

**Ground Mount Racking Model:\***

**Ground Mount Foundation:\***

Select the foundation that will be used to secure the poles.

<input type="checkbox"/>	Helical Piling	<input type="checkbox"/>	Concrete Pad Helical Pile
<input type="checkbox"/>	Driven Piling	<input type="checkbox"/>	Concrete Pad Driven Pile
<input type="checkbox"/>	Earth Screw		
<input type="checkbox"/>	Concrete Pad		
<input type="checkbox"/>	Drill & Pour		

**Pole Embedment Depth:\***

This is how deep in the ground the mounting pole is below grade.

**Footing Diameter\***

This is how wide the footing is (in inches).

**Concrete Depth (If Applicable)**

**Horizontal Support Spacing in Feet (East/West):**

Please input the horizontal distance between the poles.

**Inner-Row Support Spacing in Feet (North/South) (If Applicable):**

Please input the North/South spacing between poles (if applicable).

**Total Number of Legs/Supports:\***

**Cross Brace? (If Applicable):**

☐ None ☐ Horizontal ☐ Diagonal

**Module Orientation:\***

☐ Portrait ☐ Landscape

**Quantity of Module Rows:\***

**Quantity of Module Columns:\***

**Tilt(s):\***

**Azimuth(s):\***

**Front Clearance:**

This is the clearance from the ground to the front of the array.

**Rear Clearance:**

This is the clearance from the ground to the top of the array.

**Setback Requirement from the Property Lines in Feet (If Applicable):**

## ARRAY 2 - GROUND MOUNT APPLICATIONS (Only if ground mount is different)

### GROUND MOUNT STRUCTURAL INFO

#### Ground Mount Racking Manufacturer:\*

.....

#### Ground Mount Racking Model:\*

.....

#### Ground Mount Foundation:\*

Select the foundation that will be used to secure the poles.

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

Helical Piling

Driven Piling

Earth Screw

Concrete Pad

Drill & Pour

<input type="checkbox"/>
<input type="checkbox"/>

Concrete Pad Helical  
Pile

Concrete Pad Driven  
Pile

#### Pole Embedment Depth:\*

This is how deep in the ground the mounting pole is below grade.

.....

#### Footing Diameter\*

This is how wide the footing is (in inches).

.....

#### Concrete Depth (If Applicable)

.....

#### Horizontal Support Spacing in Feet (East/West):

Please input the horizontal distance between the poles.

.....

#### Inner-Row Support Spacing in Feet (North/South) (If Applicable):

Please input the North/South spacing between poles (if applicable).

.....

#### Total Number of Legs/Supports:\*

.....

#### Cross Brace? (If Applicable):

☐ None ☐ Horizontal ☐ Diagonal

#### Module Orientation:\*

☐ Portrait ☐ Landscape

#### Quantity of Module Rows:\*

.....

#### Quantity of Module Columns:\*

.....

#### Tilt(s):\*

.....

#### Azimuth(s):\*

.....

#### Front Clearance:

This is the clearance from the ground to the front of the array.

.....

#### Rear Clearance:

This is the clearance from the ground to the top of the array.

.....

#### Setback Requirement from the Property Lines in Feet (If Applicable):

.....